


What_is_DD-WRT?

[English](#) • [Deutsch](#) • [Español](#) • [Français](#) • [Italiano](#) • [???](#) • [Polski](#) • [Português](#) • [??????](#) • [Svenska](#) • [???\(???\)?](#) • [???\(???\)?](#)



The current [web interface](#) of DD-WRT

DD-WRT is a third party developed [firmware](#) released under the terms of the GPL for many IEEE 802.11a/b/g/h/n wireless routers based on a Broadcom or Atheros chip reference design.

The firmware is maintained by BrainSlayer and is hosted at [dd-wrt.com](#). The first versions of DD-WRT were based on the Alchemy Firmware from [Sveasoft Inc](#), which is in turn based on the original [GPL'd](#) Linksys firmware and a number of other open source projects. DD-WRT was created directly from Sveasoft's software decision to start charging for their firmware, closing the door to open source.

At present DD-WRT is available for free, although a different business model is being [drafted](#) by BrainSlayer in order to pay his salary, as this is his full time job.

The newer DD-WRT versions (v2.4 and v3.0) are *a completely new project*. DD-WRT offers many advanced features not found in OEM firmware of these devices, or even the firmware available for purchase from Sveasoft. It is also free of the product activation or tracking found in the Sveasoft firmware.

Note: Beta firmware, by its very nature, will contain bugs. It is not recommended to install beta firmware on large networks that are used for businesses, etc. However, ticket can be submitted for DD-WRT bugs here: [trac system](#).

Among other features not found in the original Linksys firmware, DD-WRT adds the [Kai Daemon](#) for the [Kai Console Gaming network](#), [WDS wireless bridging/repeating](#) protocol, [Radius Authentication](#) for more secure wireless communication, advanced [Quality of Service](#) controls for bandwidth allocation, and software support for the SD-Card hardware modification.

What does dd stand for in dd-wrt? Sash: its the German car numberplate code for Dresden.

Contents

- [1 Requirements](#)
- [2 Features](#)
- [3 Supported & Recommended Devices](#)
- [4 Which build to flash on my router](#)
- [5 File Versions](#)
 - ◆ [5.1 Atheros Based Devices \(incl. UBNT\)](#)
 - ◆ [5.2 Broadcom Based Devices](#)

What_is_DD-WRT?

- ◇ [5.2.1](#)
 - [V24 pre sp2](#)
 - [K24](#)
 - [5.2.1.1](#)
 - [K2.4](#)
 - [Build](#)
 - [Features](#)
 - [5.2.1.2](#)
 - [Notes](#)
- ◇ [5.2.2](#)
 - [V24 pre sp2](#)
 - [K26](#)
 - [5.2.2.1](#)
 - [K2.6](#)
 - [Build](#)
 - [Features](#)
 - [5.2.2.2](#)
 - [Notes](#)
- ◇ [5.2.3 Special Versions](#)
- ◆ [5.3 Intel IXP Based Devices](#)
- ◆ [5.4 Ralink Based Devices](#)
- ◆ [5.5 x86 Based Devices](#)

Requirements

- A computer (Windows, Linux, Mac, whatever)
- A broadband internet connection (DSL, Cable, or similar)
- A supported router.
- The DD-WRT firmware image from [The DD-WRT Project](#)
- Follow the instructions under [Installation](#) to install the new firmware on your router.

Features

New features, updates and fixes can be found in the [Changelog](#) (deprecated). For code and issue tickets, see the SVN revisions at the [timeline](#).

Feature v \ Categories->	Lan	Wlan	Wan	DNS	Man- age- ment	Moni- toring	NAT	Serv- ices	Traffic mode- ration incl. QoS	Traffic redir- ection
13 languages					*					
802.1x Extensible Authentication Protocol (EAP)		*								

What_is_DD-WRT?

<u>802.1x Extensible Authentication Protocol (EAP)</u>		*		
<u>Access Restrictions</u>				*
<u>Ad hoc</u>		*		
<u>Afterburner</u>		*		
<u>Client Isolation Mode</u>		*		
<u>Client Mode</u> (supports multiple connected clients)		*		
<u>DHCP Forwarder</u> (udhcp)	*	*		*
<u>DHCP Server</u> (udhcp or Dnsmasq)	*	*		*
<u>DNS Forwarder</u> (Dnsmasq)	*	*	*	*
<u>DMZ</u>	*	*		*
<u>Dynamic DNS</u> (DynDNS, easyDNS, FreeDNS, TZO, ZoneEdit, custom, and others)			*	
<u>FreeRADIUS Server</u>		*	*	*
<u>Hotspot Portal</u> (Sputnik Agent, Chillispot)		*		
<u>IPv6</u>				
<u>JFFS2 (JFFS2)</u>				
<u>MMC/SD Card Support</u> (hardware modification required)				
<u>NTP</u>	*	*		*
<u>ntop Remote Statistic</u> (ntop)			*	
<u>OpenVPN Client & Server</u> (only in -vpn build of the firmware)				*
<u>Port Triggering</u>				*
<u>Port Forwarding</u>				*
<u>PPTP VPN Server & Client</u>				*
<u>QoS Bandwidth Management</u>				*

<u>Wireless MAC Address Cloning</u>			
<u>Wireless MAC Filter</u>		*	*
<u>WMM (Wi-Fi MultiMedia)</u>		*	*
WPA over WDS		*	
WPA/TKIP with AES		*	
<u>WPA2</u>		*	
Xbox Kaid (<u>Kai Engine</u>)	*	*	*

Supported & Recommended Devices

There are pages for [Supported Devices](#) and [recommended devices](#).

Which build to flash on my router

[NOTE] - ALWAYS do a Hard reset or 30/30/30 on the router BEFORE and AFTER flashing from OEM firmware. It is highly recommended also for flashing in DD-WRT, unless otherwise directly by the device wiki.

[NOTE] - Do not use Backup/Restore anytime you change the firmware build number or type. Backup/Restore should only be used with the exact same build and type, to restore a known good configuration on that same build.

Check [Supported Devices](#) to find the router chipset, and whether any special flashing procedures are required. Also check your `wl0_corerev` [here](#) or by issuing this command in telnet or ssh: `nvramp get wl0_corerev` **corerev determines if VINT (vintage) or NEWD (new driver) builds are required for broadcom folder (kernel 2.4) builds. In newer builds (e.g. [here](#), the NEWD name has been dropped, as they are now the normal builds.**

The following chipsets/devices require the VINT builds.

- Any older routers using Broadcom 4702/4710 chipsets (125MHz) and have mini-PCI cards `wl0_corerev < 5` (such as Belkin F5D7130-4 v1000 - v1112)
- Linksys WRT54G v1
- Linksys WAP54G v1
- Sitecom WL-105b

The following chipsets/devices require the normal builds.

- Asus WL-520GU
- Buffalo WHR-G125
- Linksys WRT54G v8.0-8.2
- Linksys WRT54GS v7.0
- All newer routers using Broadcom 4704, 4785, 5354, 5365 chipsets

What_is_DD-WRT?

The following chipsets/devices can run either but normal is recommended). Read the device wiki for details.

- Buffalo WHR-HP-G54, WHR-G54S
- Linksys WRT54G v4.0
- Linksys WRT54GL 1.0 & 1.1
- All routers using Broadcom 5352 chipset
- All routers using Broadcom 4712 chipset (BCM4712) with wl0_corerev 5 or higher

File Versions

Different versions of the firmware have different features. The tables below attempt to outline the features of each version but sometimes the features of a specific version are changed. You can check the [config files](#) on the SVN server to verify exactly what features are in each specific version for official Brainslayer builds, but the config files for Eko's unofficial versions are not published.

Atheros Based Devices (incl. UBNT)

Atheros based devices typically only have one version of the firmware available per model. The feature set in Atheros builds are generally limited by the amount of flash memory that a unit has. So basically, Atheros 4MB flash units have features somewhat similar to a Broadcom K2.6 mini version while 8MB Atheros flash units have features more similar to a Broadcom K2.6 BIG version, but the features will vary. Atheros builds are still pre-baked and specific to its unit, so features in one unit's version may slightly differ from another unit's version.

Broadcom Based Devices

Broadcom based devices have several different versions available to choose from. Consult **Note 4** in the [Peacock Announcement](#) from the Broadcom forum for information about which versions can run on your hardware.

V24_pre_sp2 K24

This consolidated chart is a WIP. If you spot something wrong or needed to be added, pm me. [DarkShadow](#)
Need verification of pound and tcpdump

K2.4 Build Features

V24_pre_sp2 K24 build features

Micro (1) Micro Plus (2)(7) Micro Plus ssh (2)(7) Mini (1) Mini Hotspot Kaid (2) Mini USB (2) USB
Generic (1) Mini USB FTP (2) Nokaid (1) Open VPN JFFS Small (2) STD (1) STD NoKaid (2) STD NoKaid
No Hotspot NoStor (2) STD NoKaid USB (2) VOIP (1) VPN (1)(3) Big (2)(4) Mega (1)(4) [Access](#)
[Restrictions](#) [AnchorFree](#) [Asterisk](#)
Bandwidth Monitoring [Chillispot](#)

What_is_DD-WRT?

Connection Warning Notifier
 EoIP Support
ext3 Support
 Mngt
kaid
NTFS Support
PPTP Client/PPTP Server
 Micro (1) Micro Plus (2)(7) Micro Plus ssh (2)(7) Mini (1) Mini Hotspot Kaid (2) Mini USB (2) USB Generic (1) Mini USB FTP (2) Nokaid (1) Open VPN JFFS Small (2) STD (1) STD NoKaid (2) STD NoKaid No Hotspot NoStor (2) STD NoKaid USB (2) VOIP (1) VPN (1)(3) Big (2)(4) Mega (1)(4) QoS
radvd
RFlow
 Redirect
Syslogd
USB
Wiviz
 HTTP Redirect
IPv6 (5)
 MMC/SD Support
OpenVPN
FreeRADIUS Server
 ext2 Support
 Hotspot System
 HTTPS Support for Web
JFFS2 (6)
NoCat
Pound
ProFTPD
Repeater
 Samba/CIFS client
 SFTP
 Sputnik
 tcpdump
VPNC
WPA/WPA2 Per/Ent
Dynamic DNS
 Security Log
 SMTP
 SPI Firewall/Iptables
SSH
Telnet
UPnP
Wake On LAN

Notes

- (1) Official dd-wrt builds by Brainslayer
- (2) Eko specialized **Broadcom Only** Builds
- (3) Smaller VPN JFFS builds are available for 4MB units: [downloads/others/eko](#)
- (4) Only on DD-WRT v24 (8MB+ flash required)
- (5) Apparently, IPv6-related features **DO NOT** work by default in DD-WRT v24. See [IPv6 on v24](#).
- (6) Not available on VPN-builds for v24sp1 (see [prerequisites for JFFS](#)).
- (7) CFE Compressor needed to run. See (<http://www.dd-wrt.com/phpBB2/viewtopic.php?t=38844>).

The files for v24 contain six versions:

filename	description
dd-wrt.v24_<type>_asus.trx	Web interface version for flashing. See Flash Your Asus WL-500G Deluxe
dd-wrt.v24_<type>_generic.bin	Generic version for flashing via web interface on all supported devices (including Linksys WRT54G/GL/GS) and for flashing Siemens SE505 with boot tftp on 192.168.2.1
dd-wrt.v24_<type>_wrt54g.bin	tftp versions for WRT54G. You CAN use this to flash via web interface but do so only AFTER you have done so using the mini version. These versions were just made specifically for TFTPing to those routers. (v5/v6 note: Since the WRT54G/GS v5-v6 uses a modified WAP54Gv3 once made 'linux ready', it will not accept

What_is_DD-WRT?

	these standard WRT54G/GS firmwares. You must use the 'generic' build for TFTPing to these units).
dd-wrt.v24_<type>_wrt54gs.bin	tftp versions for WRT54GS. You CAN use this to flash via web interface but do so only AFTER you have done so using the mini version. These versions were just made specifically for TFTPing to those routers.
dd-wrt.v24_<type>_wrt54gsv4.bin	tftp versions for WRTGSv4. You CAN use this to flash via web interface but do so only AFTER you have done so using the mini version. These versions were just made specifically for TFTPing to those routers.
dd-wrt.v24_<type>_wrtsl54gs.bin	tftp versions for WRTSL54GS. You CAN use this to flash via web interface but do so only AFTER you have done so using the mini version. These versions were just made specifically for TFTPing to those routers.
dd-wrt.v24_<type>_moto.trx	For initial Flash Your Motorola WR850G (Micro and Mini builds ONLY)

where <type> is a placeholder for mini, std, voip, etc. For upgrading from the original Linksys firmware, please use the **mini** version first and flash it from the **web interface**. After this first flash you can then upgrade to any distribution of your choice.

Note eko's builds are for Broadcom only (both K24 and K26).

V24_pre_sp2 K26

WARNING: Do not use the K2.6 builds unless you are certain your device can support it! It will brick it! [Forum thread about K26 build supported broadcom based router List](#)

K2.6 Build Features

K2.6 Build Features

Mini Mini Hotspot Mini USB Mini USB NAS OpenVPN OpenVPN Small STD NoKaid Small STD USB
 NAS VOIP VOIP Small Big Mega (Giga) [Access Restrictions](#) [AnchorFree](#)
 "" [Asterisk](#) Bandwidth Monitoring [Chillispot](#)
 Connection Warning Notifier [Dynamic DNS](#)
 EoIP Support [ext2](#) Support [ext3](#) Support
 Hotspot System HTTP Redirect HTTPS Support for Web
 Management [IPv6](#) [JFFS2](#) [kaid](#)
 MMC/[SD](#) Support [NoCat](#) [NTFS](#) Support
[OpenVPN](#) [Pound](#) [PPTP Client / PPTP Server](#)
[ProFTPD](#) Mini Mini Hotspot Mini USB Mini USB NAS OpenVPN OpenVPN Small
 STD NoKaid Small STD USB NAS VOIP VOIP Small Big Mega (Giga) [QoS](#)
[radvd](#) [Repeater](#) [RFlow](#) [Samba/CIFS](#)
[client](#) Security Log SFTP

What_is_DD-WRT?

SIPatH/Milkfish

SPI Firewall/Iptables

Syslogd

adjust

Wake On LAN

Wiviz

SMTP Redirect

Sputnik

tcpdump

UPnP

Wifidog

Telnet

USB

SNMP

SSH

Tx power


VPNC

WPA/WPA2 Per/Ent

Notes

K26 builds do not have MMC/SD support yet.

Special Versions



Screenshot of a QoS version

Currently brainslayer offers a special version of DD-WRT with extended QoS capabilities:

- set maximum bandwidth available per netmask/MAC address (v.24-SP1: even for different vlans)
- set a default rule for any unconfigured netmask/MAC address

This version is always based on the current sources and atm only available for kernel 2.4 based units. The version is available from the DD-WRT [Shop](#).

Updates for this special firmware version are provided in the special [Customer Downloads & Updates](#) forum.

Firmware releases customized to your corporate design are also available.

Intel IXP Based Devices

Ralink Based Devices

Ralink based devices typically only have one version of the firmware available per model.

x86 Based Devices